

NUT DRIVERS, SET 7PC

Cat No: **0253-01C**

UPC No: **783310546719**



Specifications:

- Finish : Chrome Plated
- Includes : Sizes 3/16 IN, 1/4 IN, 5/16 IN, 11/32 IN, 3/8 IN, 7/16 IN And 1/2 IN
- Number Of Pieces : 7
- Shank Length : 3.000 IN
- Shank Type : Hollow
- Standard : ASME/ANSI
- Type : Standard, Heavy Duty
- Weight : 1.650 LB (0.750 KG)

SCREWDRIVERS, SET 7PC

Cat No: **0153-02C**

UPC No: **783310546610**

Specifications:

- Blade Finish : Chrome-Plated Shank, Durable Black Phosphate Tip.
- Contains : 3/16 IN X 4.00 IN Cabinet, 3/16 IN X 6.000 IN Cabinet, 1/4 IN X 4.000 IN Keystone, 1/4 IN X 4.000 IN Cabinet, 5/16 IN X 6.000 IN Keystone, #1 X 3.000 IN Phillips And #2 X 4.000 IN Phillips
- Handle Type : Soft, Cushioned Grip
- Number Of Pieces : 7
- Standard : ASME/ANSI
- Weight : 1.630 LB (0.740 KG)



Specifications:

- Blade Finish : Chrome Plated
- Blade Material : Hardened Steel
- Handle Type : Soft, Cushioned Grip
- Includes : 3/16 IN And 1/4 IN Flat-Tip, #1 And #2 Phillips, 5/16 IN And 1/4 IN Hex
- Type : 6 In 1
- Weight : 0.420 LB (0.190 KG)



GREENLEE
A Textron Company

MADE FOR THE TRADE!™

Hand Tools

SCREWDRIVER, INSULATE

Cat. No: **0153-01-INS**

UPC: **783310134398**

Specifications:

- Includes : #1 X 3 IN Insulated Screwdriver, #2 X 4 IN Insulated Screwdriver, #3 X 6 IN Insulated Screwdriver, 1/4 IN X 4 IN Insulated Cabinet Tip Screwdriver, 3/16 IN X 4 IN Insulated Cabinet Tip Screwdriver, 3/16 IN X 6IN Insulated Cabinet Tip Screwdriver, 3/16 IN
- Number Of Pieces : 9
- Standard : ASTM F1505, IEC 60900, OSHA 1910.331-335, NFPA 70E And CSA-Z462
- Type : Insulated
- Voltage Rating : 1000 V
- Weight : 3.100 LB (1.380 KG)



FLASHLIGHT, ALUMINUM

Cat No: **FL2AA**

UPC No: **783310134947**

Specifications:

- Average Life : 50000 HR
- Battery : C Alkaline
- Lamp Type : LED
- Lumens : 85/30 LM
- Material : Aluminum
- Number Of Batteries : 2
- Power Rating : 1 WTT
- Size : 2.000 IN X 2.300 IN X 9.200 IN (51.000 MM X 58.000 MM X 234.000 MM)

HEAD LAMP

Cat No: **FLHEAD**

UPC No: **783310135432**

Specifications:

- Average Life : 50000 HR
- Battery : AAA Alkaline
- Battery Life : 5 HR (Hi) - 12 HR (Low)
- Beam Distance : 127.000 - 197.000 FT/39.000 -60.000 MR
- Beam Pattern : 3-Spot, Diffuse And Red Diffuse With Rotating Beam Angle Adjustment
- Environmental Conditions : Hazardous
- Includes : Elastic Head Strap And Rubber Hard Hat Sta





GREENLEE®
A Textron Company

MADE FOR THE TRADE!™

Hand Tools

HAMMBER ELECTRICIANS

Cat No: **0156-11**

UPC No: **783310546986**



Specifications:

- Application: For Use in Boxes and Other Confined Areas, For Electrical Fixture Removal.
- Material : Fiberglass Handle, Cushioned Grip
- Overall Length : 12-1/2 IN (31.800 CM)
- Standard : ASME/ANSI
- Type : Electrician's
- Weight : 1.700 LB (0.770 KG)

GLOVES WORKMAN PRO.

Cat No: **0358-15L**

UPC No: **783310001300**

Specifications:

- Cuff Material : Neoprene
- D Chain : 4
- Material Master Number : 52059462
- Package Type : Pop
- Palm Material : Full Grain Leather
- Quantity : 1/Pack
- Size : Large
- Thumb Material : Terry Cloth
- Type : Workman Pro, Contractor GradeWork

